




SHARK COMPACTOR MK5 & RAMP INFILLING SOLUTIONS



SHARK CONTAINER TYPE MK5 GENERAL DESCRIPTION

Shark MK5 is a long life product which constructed with elegant condition. Shark compactor is a self cleaning product & it does not need cleaning procedures like traditional compactors. Shark Containers, aims to be an ideal product for the companies who are doing their services for the recycling business & it is a product that does not require daily maintenance except the pre-operation safety controls.

Shark Compactors has ability to compress many different kind of wastes like domestic wastes, wet wastes, plastics, hospital wastes (without blood contacted), food wastes, wood, metal, cartoon, paper & equal materials without any extra power except 380 V. electricity to make it run.



SHARK CONTAINER TYPE MK5 RAMP INFILLING SOLUTION




Shark MK5 comes with a 3 m³ regular or 3,8 m³ ramp infilling packer head (loading chamber) and high compression capacity which is mean its the focal point of the search for strengthening the business economy, it is also minimizes the fuel costs, extra overwork expenses & reduces worktime of the enterprises.

Shark Containers are user-friendly products that can be transported from waste collection centers to recycling or disposal facilities using by truck mounted hooklift, and waste materials can be unloaded by truck mounted hooklift. The Shark Compactors MK5 a product already patented & works with a patent registered compaction system.


SHARK CONTAINER MK5 OPTIONAL EQUIPMENTS & ACCESSORIES

- | | |
|-------------------------------------|---------------------------------|
| 1. Front rollers | 5. Service doors safety sensors |
| 2. Front & rear castermid rollers | 6. Backdoor lifting hook |
| 3. Loading chamber protection grids | 7. Flashing beacon |
| 4. Remote controller | |

MK5 CHARACTERISTICS	MK5 TECHNICAL INFORMATIONS
Total Body Volume	Up to 24 m ³
Loading Chamber	3 m ³ - 3.8 m ³
Driven By	380 V. Electricity (3x400V + 50Hz 16A)
Engine Power	5,5 kW
Maximum Hydraulic System Pressure	280 Bar
Compression Pressure	50 Ton
Loading Chamber Working Cycle	N/A
Compression Cycle	Between 25 - 40 Second
Working Type	PLC Supported Hydraulic Power Unit
Empty Weight	3500 kg.



PATENT ISSUED BY



SHARK
COMPACTORS®



✦ Nørregade 26 4534 Hørve / Denmark
☎ +45 70 70 72 00
@ info@shark-containers.com
🌐 www.shark-containers.com